# Safety Data Sheet

C-TEC LSZ8AF

SDS No. 9715.5

		Revision: 6/1/1
Section 1 - Chemical Pr	roduct and Company I	dentification
Product/Chemical Name: C-TEC LSZ8AF Synonyms: Charring agent. General Use: Fire retardant. Manufacturer: Marshall Additive Technologies Division of the R. J. Marshall Company 26776 W. 12 Mile Road Southfield, MI 48034-7807 Phone: (248) 353-4100, Fax: (248) 948-6	Date Revi Preparer:	<b>y Phone:</b> (800) 424-9300 sed: 6/1/18 Stephanie Nichols
	Hazards Identification	
Classification of the chemical in accordance with para		
Signal Word: Danger Symbols: Hazard Statements: May cause cancer by inhalation. Precautionary Statements: Obtain special instructions before use. Do not handle until all safety precautions have been read Wear protective gloves/protective clothing/eye protection If exposed or concerned: Get medical advice/attention.		<b>R</b> 0 <b>PPE</b> <sup>† E</sup> <sup>†</sup> Sec. 8
		oredients
Store locked up. Hazards not otherwise classified: None	on / Information on In	gredients
Store locked up. Hazards not otherwise classified: None Section 3 - Compositi Ingredient Name	ion / Information on In CAS Number	Percent by Weight
Store locked up. Hazards not otherwise classified: None Section 3 - Compositi Ingredient Name Crystalline Silica	on / Information on In CAS Number 14808-60-7	Percent by Weight Max 0.6%
Store locked up. Hazards not otherwise classified: None Section 3 - Compositi Ingredient Name Crystalline Silica There are no other ingredients classified as health haz	ton / Information on In CAS Number 14808-60-7 ards in accordance with parage	Percent by Weight Max 0.6%
Store locked up. Hazards not otherwise classified: None Section 3 - Compositi Ingredient Name Crystalline Silica There are no other ingredients classified as health haz Section 4	ton / Information on In CAS Number 14808-60-7 ards in accordance with paragr - First Aid Measures	Percent by Weight Max 0.6% raph (d) of 1910.1200.
Store locked up. Hazards not otherwise classified: None Section 3 - Compositi Ingredient Name Crystalline Silica There are no other ingredients classified as health haz Section 4 Description of necessary measures subdivided accordi Inhalation: If overcome by high dust concentrations, re Eye Contact: Flush eyes thoroughly for 15 minutes tal irritation. If discomfort continues, continue to wash with Skin Contact: Wash skin thoroughly with soap and wa Ingestion: Not applicable. Most important symptoms/effects, acute and delayed:	CAS Number 14808-60-7 ards in accordance with paragr First Aid Measures ng to the different routes of expensive to a ventilated area. king care to rinse under eyelids. I h water. If irritation persists, const ter for at least 15 minutes. Const Irritation of respiratory tract, eye	Percent by Weight         Max 0.6%         raph (d) of 1910.1200.         bosure:         Do not scrub. Abrasion may cause         sult a physician.         Ilt a physician if irritation persists.
Store locked up. Hazards not otherwise classified: None Section 3 - Compositi Ingredient Name Crystalline Silica There are no other ingredients classified as health haz Section 4 Description of necessary measures subdivided accordi Inhalation: If overcome by high dust concentrations, re Eye Contact: Flush eyes thoroughly for 15 minutes tal irritation. If discomfort continues, continue to wash with Skin Contact: Wash skin thoroughly with soap and wa Ingestion: Not applicable. Most important symptoms/effects, acute and delayed: Indication of immediate medical attention and special	CAS Number 14808-60-7 ards in accordance with paragr First Aid Measures ng to the different routes of expensive to a ventilated area. king care to rinse under eyelids. I h water. If irritation persists, const ter for at least 15 minutes. Const Irritation of respiratory tract, eye	Percent by Weight         Max 0.6%         raph (d) of 1910.1200.         cosure:         Do not scrub. Abrasion may cause         sult a physician.         Ilt a physician if irritation persists.         es, skin.

#### C-TEC LSZ8AF

## Section 6 - Accidental Release Measures

**Personal precautions, protective equipment, and emergency procedures:** Avoid formation and inhalation of dust. Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs. Wear suitable protective equipment. Dispose of spilled material in accordance with local regulations.

Methods and materials for containment and cleaning up: Sweep or vacuum up. Collect spilled material in suitable containers or bags for recovery or disposal.

# **Section 7 - Handling and Storage**

**Precautions for safe handling:** Avoid generating dust during handling. Store in a closed container in a dry area. Do not store in open, inadequate, or miss-labeled packaging.

# **Section 8 - Exposure Controls / Personal Protection**

#### **Engineering Controls:**

**Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Administrative Controls:

Respiratory Protection: Dust mask recommended.

**Protective Clothing/Equipment:** Wear protective gloves and glasses. Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

**Contaminated Equipment:** Separate contaminated work clothes from street clothes. Launder before reuse. Remove this

material from your shoes and clean personal protective equipment.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

	OSHA PEL		ACGIH TLV		
Ingredient	TWA	STEL	Ingredient	TWA	
Particulates not otherwise	15 mg/m <sup>3</sup> total	none	Particulates not otherwise	15 mg/m <sup>3</sup> total	
classified	5 mg/m <sup>3</sup> respirable	estab.	classified	5 mg/m <sup>3</sup> respirable	
Crystalline Silica	(30 mg/m <sup>3</sup> / (%SiO <sub>2</sub> +2)) total dust (10 mg/m <sup>3</sup> / (%SiO <sub>2</sub> +2))	none estab.	Crystalline Silica	$\begin{array}{c} (30 \ mg/m^3/\ (\% SiO_2 + 2)) \\ total \ dust \\ (10 \ mg/m^3/\ (\% SiO_2 + 2)) \end{array}$	
	respirable dust			respirable dust	

Note: For the purpose of reporting for Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and CFR372.0 the maximum percent by weight Zinc Content is 9.24.

# **Section 9 - Physical and Chemical Properties**

Appearance: white powder	
Odor: odorless	
Odor Threshold: n/e	
<b>pH:</b> not available	
Freezing/Melting Point: not applicable	
Boiling Point: not applicable	
Flash Point: not applicable	
Flash Point Method: not applicable	
Evaporation Rate: not applicable	
Flammability: Non-flammable.	
<b>Upper/lower flammability or explosive limits:</b> n	ot
applicable	

Vapor Pressure: not applicable Vapor Density (Air=1): not applicable Relative Density: 3.2 Water Solubility: Slightly soluble Other Solubilities: not applicable Partition coefficient: n-octanol/water; not applicable Auto-ignition Temperature: Not applicable Decomposition Temperature: not determined Viscosity: not applicable

# Section 10 - Stability and Reactivity

**Reactivity:** Stable under ambient temperatures and pressures.

**Chemical stability:** This product is stable at room temperature in closed containers under normal storage and handling conditions.

Possibility of hazardous reactions: None known.

Conditions to avoid: None known.

Incompatible materials: Copper and copper-containing materials including bronze and brass.

Hazardous Decomposition Products: Gaseous ammonia (NH<sub>3</sub>) may evolve upon thermal decomposition.

#### C-TEC LSZ8AF

# **Section 11- Toxicological Information**

Information on the likely routes of exposure: Eye, Skin, and Inhalation.

#### Symptoms related to the physical, chemical, and toxicological characteristics:

Eye Effects: May cause irritation through mechanical abrasion.

Skin Effects: May cause irritation through mechanical abrasion.

Inhalation: Overexposure to dust may cause irritation to the respiratory tract.

**Ingestion:** not applicable.

Delayed and immediate effects and also chronic effects from short- and long-term exposure: None known.

Carcinogenicity: : IARC and NTP have listed crystalline silica as a human carcinogen.

## **Section 12 - Ecological Information**

Eco-toxicity: Contains a zinc compound which is classified as very toxic to aquatic life.

Persistence and degradability: Not determined.

Bio-accumulative potential: Not determined.

Mobility in soil: Not determined.

## Section 13 - Disposal Considerations

**Disposal:** Recycle if possible or landfill. This substance is inert and does not require special disposal methods. Follow applicable Federal, state, and local regulations.

## **Section 14 - Transport Information**

**DOT Transportation Data (49 CFR 172.101):** This product is not classified as dangerous under the transport regulations for road, rail, sea, or air transport.

UN Number: None UN proper shipping name: None Transport hazard class: None Packing group: None Environmental hazards: Marine pollutant Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: not restricted Special precautions: None

# **Section 15 - Regulatory Information**

#### **EPA Regulations:**

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification: Not classified

CERCLA Hazardous Substance (40 CFR 302.4) Not listed

SARA Toxic Chemical (40 CFR 372.65): Not listed

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed

Zinc or Zinc compounds are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR 372.0

#### **OSHA Regulations:**

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed

#### TSCA

This substance or all of its components are on the Chemical Substances Inventory of the Toxic Substance Control Act (TSCA Inventory [USA]). Please note that this product is not subject to any legal reporting requirements under these acts.

## INTERNATIONAL REGULATIONS

Canadian Domestic Substances List: Components of this product are listed on the Canadian DSL.

Europe: This substance or all of its components are listed on EINECS, the European Inventory of Existing Commercial Chemical Substances.

Australia: Components of this product are listed on AICS, the Australian Inventory of Chemical Substances.

China: Components of this product are listed on the Chinese Inventory.

Japan: Components of this product are listed on ENCS, the Japanese Existing and New Chemical Substances list.

Korea: Components of this product are listed on the ECL, the Korean Existing and Evaluated Chemical Substances list.

Philippines: Components of this product are listed on PICCS, the Philippines Inventory of Chemicals and Chemical Substances. Swiss: Components of this product are listed on Giftliste, List of Toxic Substances.

WHMIS: Components of this product are listed an uncontrolled products by WHMIS.

# **Section 16 - Other Information**

**Prepared By:** Stephanie Nichols **Revision Notes:** Deleted CTLSZ8A

Product Grades Available from the R. J. Marshall Company (this list may be incomplete):

#### C-TEC LSZ8AF

**Disclaimer:** Information contained herein is presented in good faith and is based on data believed to be accurate. However no warranty is expressed or implied regarding this information or the results obtained from the use of this Safety Data Sheet, whether it originates with The R. J. Marshall Company or others. This Safety Data Sheet relates only to the specific material designated herein. It does not relate to use with other material or processes. This information is supplied with the condition that the user will make appropriate determination as to its suitability for their purpose prior to using it.