

FLAME & SMOKE DEFENSE SERIES

FSD508

Typical Physical Properties

Color	white to off-white
Specific Gravity	3.30
Median Particle Size (microns)	4-5
99% Less Than (microns)	30
Decomposition Temp.	>350°F (>175°C)

FSD508 is an antimony free proprietary inorganic blend flame retardant synergist for use with halogen based flame retardant polymer compounds where Zinc Hydroxy Stannate (ZHS) is used as the primary synergist. It allows the formulator to reduce the amount of the expensive Zinc Hydroxy Stannate while retaining flammability performance and hence provide an overall cost saving. This product is applicable to PVC, CPE, and a wide range of polymer system where the flame retardant is bromine or chlorine based.

PVC Wire & Cable Jacket Example		
Formulation Ingredient (phr)	Control	FSD508
PVC Resin	100	100
DINP	45	45
Ca-Zn stabilizer	6	6
Stearic Acid	0.3	0.3
ATH	60	60
ZHS	5	0
FSD508 Synergist	0	5
Limiting Oxygen Index %	32.0	32.0

For further guidance it is recommended that customers contact matsolutions@rjmarshall.com to discuss their specific recipes.

HEALTH AND SAFETY: Refer to the Safety Data Sheet
PACKAGING: 50 lb plastic bags, pallet weight 2500 lbs.

January 2021

Terms and Conditions of Sale: All statements, technical information and recommendations are based on tests we believe to be reliable, the accuracy or completeness is not guaranteed, and the following is made in place of all warranties, expressed or implied. Our only obligation is to replace product proved to be defective. We shall not be liable for any injury, loss or damage, direct or indirect, from using or not being able to use the product. Before using, customer must determine the suitability of the product for the intended use and customer assumes the responsibility. This statement may not be changed except by an agreement signed by an officer of The R.J. Marshall Company.